

## Tractor/Utility Lamps



### BEAM PATTERNS

BELOW ARE THE LIGHT BEAM PATTERNS FOR DRIVING LIGHTS AND FOG LIGHTS. STANDARD HIGH-BEAM HEADLIGHTS ARE SHOWN IN YELLOW.

#### DRIVING LIGHT

The driving light pattern (shown in grey) produces a focussed, pencil-shaped white light to reach far beyond high-beam headlights (yellow). Driving lights increase long range visibility at highway speeds and provide added safety while driving at night.



#### FOG LIGHT

Fog lights (shown in grey) provide a low, wide angle light pattern to increase short-range visibility. Ideal for added safety in fog, sleet and rain. Both amber and clear fog lights are suitable. Amber, while not penetrating, is more visible to approaching vehicles.



#### ▲ SPOT LIGHTS

The spot beam is a long-range light for marking rows, fence lines etc.

#### ▲ FLOOD LIGHT

The flood beam is an excellent work light which illuminates wide and short areas, giving great medium range visibility.

#### ▲ TRAPEZOIDAL

The trapezoidal beam is an ideal, general-purpose work light designed with a narrower pattern for longer visibility.



### BEAM PATTERN INFORMATION

BEAM PATTERN		BEAM SPREAD
• Narrow Spot	➤	10 degrees
• Spot	➤	17 degrees
• Narrow Flood	➤	24 degrees
• Medium Flood	➤	26 degrees
• Flood	➤	36 degrees
• Wide Flood	➤	55 degrees

## Tractor/Utility Lamps – LED

**\*NEW**

### 2" ROUND (MINI) TRACTOR/UTILITY LAMP – LED

**LED**



\*725214



\*725213



Side View



Back View

- 10-80 Volts (0.3A @ 12V, 0.17A @ 24V)
- 1 x 5W Diodes
- Die-Cast Aluminum Housing (Black)
- Polycarbonate Lens
- Stainless Steel Hardware
- Housing acts as a built-in heat sink
- Dimensions: 2" W x 2" H x 2.85" D
- 6mm Stud Size
- Ideal for off-road vehicles, forklifts, mining, etc.



Angle View

Part No.		Qty/Pkg
*725214	Lamp emits a Flood Pattern. 250 Lumens	1 PC
*725213	Lamp emits a Spot Pattern. 250 Lumens	1 PC

**250 Lumens**

**\*NEW**

### RECTANGULAR (MINI) TRACTOR/UTILITY LAMPS – LED

**LED**



\*725202



- 9-36 Volts (1.5A @ 12V, 0.8A @ 24V)
- 10 x 1W Diodes
- Hooded Aluminum Alloy Housing (Black)
- Polycarbonate Lens
- Stainless Steel Hardware
- Housing acts as a built-in heat sink
- Dimensions: 3½" W x 4⅛" H x 2¾" D • 5/16" Stud Size

Part No.		Qty/Pkg
*725202	Lamp emits a Flood Pattern. Also combines the distance of a Spot Pattern with the wide distance of a Flood Pattern. 922 Lumens	1 PC
*725202B	Same as 725202 except 10 pcs per box	10 PCS

**922 Lumens**

**\*NEW**

### OVAL (MINI) TRACTOR/UTILITY LAMPS – LED

**LED**



\*725207



- 12-48 Volts (0.37A @ 12V, 0.19A @ 24V)
- 2 x 3W Diodes
- Polymer Housing (Front), Die-Cast Black Aluminum Housing with built-in 'Heat Sink' (Back)
- Polycarbonate Lens
- Stainless Steel Hardware
- Thermal shock resistant
- Reverse Polarity protected • Spike protected • IP66 • CE Certified
- Dimensions: 3.67" W x 2.48" H x 2.20" D • 8mm Stud Size

Part No.		Qty/Pkg
*725207	Lamp emits a Wide Flood Pattern. 190 Lumens	1 PC

**190 Lumens**

## Tractor/Utility Lamps – LED

### 6" ROUND TRACTOR/UTILITY LAMP – LED

- 11-70 Volts (3.6A @ 12V, 1.8A @ 24V) • 6 x 8W Diodes
- Aluminum Housing (Black) • Polycarbonate Lens • Stainless Steel Hardware
- Housing acts as a built-in heat sink • Dimensions: 6.1"W x 6.0"H x 3.2"D
- 12mm Stud Size • Waterproof Connector

Part No.		Qty/Pkg
*725224	Lamp emits a Flood Pattern. 4800 Lumens	1 PC

**4800  
Lumens**



### 4½" ROUND TRACTOR/UTILITY LAMPS – LED

- 10-80 Volts (0.8A @ 12V, 0.6A @ 24V) • 6 x 3W Diodes
- Hooded Aluminum Alloy Housing (Black) • Polycarbonate Lens
- Stainless Steel Hardware • Housing acts as a built-in heat sink
- Dimensions: 4½"W x 5½"H x 2½"D • 10mm Stud Size

Part No.		Qty/Pkg
*725204	Lamp emits a Wide Flood Pattern. 1300 Lumens	1 PC
*725204B	Same as 725204 except 10 pcs per box	10 PCS

**1300  
Lumens**



### 4½" ROUND TRACTOR/UTILITY LAMPS – LED

- 12-70 Volts (1.7A @ 12V, 0.8A @ 24V) • 6 x 3W Diodes
- Aluminum Alloy Housing (Black) • Polycarbonate Lens
- Stainless Steel Hardware
- Housing acts as a built-in heat sink
- Dimensions: 4¾"W x 5¾"H x 2¾"D • ½" Stud Size

Part No.		Qty/Pkg
*725208	Lamp emits a Flood Pattern. 1000 Lumens	1 PC
*725208B	Same as 725208 except 10 pcs per box	10 PCS

**1000  
Lumens**



### 4½" ROUND TRACTOR/UTILITY LAMPS – LED

- 12 Volts (0.94A @ 12V) • 6 x 3W Diodes
- Chrome Plated Stainless Steel Housing (Front), Die-Cast Black Aluminum Housing with built-in 'Heat Sink' (Back)
- Polycarbonate Lens • Stainless Steel Hardware
- Housing acts as a built-in heat sink
- Dimensions: 4.79" Dia x 2.50"D
- 8mm Stud Size

Part No.		Qty/Pkg
*725215	Lamp emits a Flood Pattern. 600 Lumens	1 PC
*725216	Lamp emits a Spot Pattern. 600 Lumens	1 PC



## Tractor/Utility Lamps – LED



### 4½" ROUND TRACTOR/UTILITY LAMPS – LED

**LED**



\*725201

- 10-80 Volts (1.1A @ 12V, 0.5A @ 24V) • 4 x 3W Diodes
- Aluminum Alloy Housing (Black) • Polycarbonate Lens
- Stainless Steel Hardware • Housing acts as a built-in 'Heat Sink'
- Dimensions: 4½"W x 5"H x 2¼"D • ¾" Stud Size

Part No.		Qty/Pkg
*725201	Lamp emits a Spot Pattern. 500 Lumens	1 PC
*725201B	Same as 725201 except 10 pcs per box	10 PCS



### 4½" ROUND TRACTOR/UTILITY LAMPS – LED

**LED**



\*725206

- 12-48 Volts (0.71A @ 12V, 0.33A @ 24V) • 4 x 3W Diodes
- Polymer Housing (Front), Die-Cast Black Aluminum Housing with built-in 'Heat Sink' (Back)
- Polycarbonate Lens
- Stainless Steel Hardware
- Thermal shock resistant
- Reverse Polarity protected • Spike protected • IP66 • CE Certified
- Dimensions: 4.72"Dia x 3.28"D • 12mm Stud Size

Part No.		Qty/Pkg
*725206	Lamp emits a Wide Flood Pattern. 440 Lumens	1 PC



### 4½" ROUND TRACTOR/UTILITY LAMPS – LED

**LED**



\*725209

\*725211

PEDESTAL MOUNT

- 10-30 Volts • 6 x 3W Diodes • Die-Cast Hooded Aluminum Housing (Black)
- Polycarbonate Lens • Stainless Steel Hardware • Housing acts as a built-in 'Heat Sink' • Mounting Brackets for Pedestal or Flush Mount provided
- Dimensions: 4.56"W x 5.04"H x 1.89"D • Stud Size: ¾"

Part No.		Qty/Pkg
*725209	Lamp emits a Flood Pattern. 1.30A @ 12V. 0.6A @ 24V. 1800 Lumens	1 PC
*725209B	Same as 725209 except 10 pcs per box	10 PCS
*725211	Lamps emits a Spot Pattern. 1.30A @ 12V. 0.6A @ 24V. 1800 Lumens	1 PC
*725211B	Same as 725211 except 10 pcs per box	10 PCS



\*725209

\*725211

FLUSH MOUNT





## Tractor/Utility Lamps – LED

### LED PAR 36 TRACTOR/UTILITY LAMPS

**LED**



TECHSPAN® LED Par 36 Sealed Beams fit existing Par 36 rubber housings, rubber grommets and other housings. You now have the option to use an LED version of the Par 36 lamp assembly or retrofit an existing Par 36 housing with one of our new "LED Par 36" sealed beams. Simply remove the old Incandescent sealed beam and replace it with the LED sealed beam that has the pattern required. Finally Par 36 lamps with the advantages of LED.



### LED PAR 36 (4½" ROUND) TRACTOR/UTILITY LAMP – SWIVEL MOUNT

These versatile LED Tractor/Utility lamps emit 1,200 Lumens and are attached to Stainless Steel mounting hardware for durability. Order just the sealed beams to retrofit your retrofit an existing Par 36 housing with one of our new "LED Par 36" sealed beams. They will also fit into rubber grommets, Par 36 rubber housings and other housings.

- 12-30 Volts (1.1A @ 12V) • 6 Diodes • Die-Cast Aluminum Housing
- Polycarbonate Lens • Stainless Steel Hardware • ¼" Stud Size

Part No.	Description	Qty/Pkg
*725220	Spot Pattern. 1200 Lumens	1 PC
*725221	Trapezoid Pattern. 1200 Lumens	1 PC

#### REPLACEMENT PARTS FOR 725220 & 725221

Part No.	Description	Qty/Pkg
*735434	Replacement LED Sealed Beam for <b>725220</b> . LED version of #4416 or #7400, (Spot Pattern). 1200 Lumens	1 PC
*735435	Replacement LED Sealed Beam for <b>725221</b> . LED version of #4411, (Trapezoid Pattern). 1200 Lumens	1 PC



### LED PAR 36 (4½" ROUND) TRACTOR/UTILITY LAMP – RUBBER HOUSING (19 DIODES)

**LED**



TECHSPAN® Par 36 housings are manufactured with synthetic resins. They have the feel and shock absorbing characteristics of rubber. This material is UV resistant which guarantees the colour will not fade or crack, and will withstand against road contaminants that normally deteriorate rubber housings. Mounting hardware is Zinc plated steel. These LED Utility lamps emit 250 Lumens and are available assembled in these rubber housings. You can also order just the sealed beams to retrofit an existing Incandescent Par 36 housing with an LED Par 36. They will also fit into rubber grommets and other housings.



#### LED TRACTOR/UTILITY LAMP ASSEMBLIES IN RUBBER HOUSING – NO SWITCH

- Dimensions: 4⅞" Dia. x 5⅞" H x 3"D • Stud Size: 5/16"

Part No.	Description	Qty/Pkg
*725210	Lamp emits a Flood pattern up to 200 feet that is very similar to the standard Incandescent Par 36 Lamp. 19 Diodes. 0.15A @ 12V. 250 Lumens	1 PC
*725210B	Same as <b>725210</b> except 10 pcs per box	10 PCS



#### MAGNETIC BASE LED TRACTOR/UTILITY LAMP ASSEMBLIES IN RUBBER HOUSING & POWER SUPPLY ADAPTER – NO SWITCH

- Dimensions: 4⅞" Dia. x 6⅞" H x 3"D • Stud Size: 5/16"

Part No.	Description	Qty/Pkg
*725217	Lamp emits a Flood pattern up to 200 feet that is very similar to the standard Incandescent Par 36 Lamp. 19 Diodes. 0.15A @ 12V. 250 Lumens. Magnetic Base with a 13' cord and a 12V Adapter Plug	1 PC



#### REPLACEMENT PARTS FOR LED PAR 36 (4½" ROUND) TRACTOR/UTILITY LAMP ASSEMBLIES – RUBBER HOUSINGS

Part No.	Description	Qty/Pkg
*735436	LED version of #4411	1 PC
*725045	4½" Round (Rubber) Housing Only – Slide Connectors/ Quick Disconnects	1 PC
*725045B	4½" Round (Rubber) Housing Only – Slide Connectors/ Quick Disconnects	10 PCS
*739007	Magnet 3" x 3" Square with Scratch-Resistant Covering	1 PC



## Tractor/Utility Lamps – LED



### SQUARE TRACTOR/UTILITY LAMPS – LED

**LED**



\*725218

- 9-32 Volts (3.8A @ 12V, 1.9A @ 24V)
- 16 x 3W Diodes
- Die-Cast Black Aluminum Housing
- PMMA (Polymethyl Methacrylate) Lens
- Stainless Steel Hardware
- Housing acts as a built-in heat sink
- Dimensions: 4.33"W x 4.33"H x 2.83"D
- 8mm Stud Size

Part No.		Qty/Pkg
*725218	Lamp emits a Flood Pattern. 2880 Lumens	1 PC
*725219	Lamp emits a Spot Pattern. 2880 Lumens	1 PC



\*725219



### SQUARE TRACTOR/UTILITY LAMPS – LED

**LED**



\*725200

- 9-36 Volts (0.8A @ 12V, 0.5A @ 24V) • 8 x 1W Diodes
- Aluminum Alloy Housing (Black)
- Polycarbonate Lens • Stainless Steel Hardware
- Housing acts as a built-in heat sink
- Dimensions: 4 $\frac{3}{8}$ " W x 4 $\frac{1}{8}$ " H x 1 $\frac{1}{8}$ " D •  $\frac{5}{16}$ " Stud Size

Part No.		Qty/Pkg
*725200	Lamp emits a Flood Pattern. 699 Lumens	1 PC
*725200B	Same as 725200 except 10 pcs per box	10 PCS



### SQUARE TRACTOR/UTILITY LAMPS – LED

**LED**



\*725205

- 12-48 Volts (0.71A @ 12V, 0.33A @ 24V) • 4 x 3W Diodes
- Polymer Housing (Front), Die-Cast Black Aluminum Housing with built-in 'Heat Sink' (Back) • Polycarbonate Lens • Stainless Steel Hardware
- Thermal shock resistant
- Reverse Polarity protected • Spike protected • IP66 • CE Certified
- 4.33"W x 4.33"H x 3.33"D • 12mm Stud Size

Part No.		Qty/Pkg
*725205	Lamp emits a Wide Flood Pattern. 440 Lumens	1 PC



## Tractor/Utility Lamps – LED

### RECTANGULAR TRACTOR/UTILITY LAMP – LED

LED **\*NEW**

- 11-70 Volts (2.4A @ 12V, 1.2A @ 24V) • 4 x 8W Diodes
- Aluminum Housing (Black) • Polycarbonate Lens • Stainless Steel Hardware
- Housing acts as a built-in heat sink • Dimensions: 4.9"W x 4.2"H x 3.2"D
- 12mm Stud Size • Waterproof Connector

Part No.	Qty/Pkg
*725223	Lamp emits a Flood Pattern. 3200 Lumens 1 PC

**3200  
Lumens**



### RECTANGULAR TRACTOR/UTILITY LAMPS – LED

LED **\*NEW**

- 10-30 Volts (1.4A @ 12V, 0.7A @ 24V) • 2 x 10W Diodes
- Aluminum Alloy Housing (Black) • Polycarbonate Lens
- Stainless Steel Hardware • Housing acts as a built-in heat sink
- Dimensions: 5 1/8"W x 3 15/16"H x 2 13/16"D • 10mm Stud Size

Part No.	Qty/Pkg
*725203	Lamp emits a Spot Pattern. 729 Lumens 1 PC
*725203B	Same as 725203 except 10 pcs per box 10 PCS

**729  
Lumens**



### RECTANGULAR TRACTOR/UTILITY LAMP – LED

LED **\*NEW**

- 10-30 Volts (0.85A @ 12V, 0.42A @ 24V) • 3 x 3W Diodes
- Die-Cast Aluminum Housing (Black) • Polycarbonate Lens
- Stainless Steel Hardware • Housing acts as a built-in heat sink
- Dimensions: 4.33"W x 2.36"H x 2.20"D • 8mm Stud Size

Part No.	Qty/Pkg
*725222	Lamp emits a Flood Pattern. 600 Lumens 1 PC

**600  
Lumens**



### RECTANGULAR TRACTOR/UTILITY LAMPS – LED

LED **\*NEW**

- 12 Volts (0.9A @ 12V) • 6 x 3W Diodes
- Die-Cast Aluminum Housing (Black)
- Polycarbonate Lens • Stainless Steel Hardware
- Housing acts as a built-in heat sink
- Dimensions: 4.91"W x 2.09"H x 4.33"D • 8mm Stud Size

Part No.	Qty/Pkg
*725212	Lamp emits a Flood Pattern. 450 Lumens 1 PC

**450  
Lumens**



## HID Work Lamps

HID (High-Intensity Discharge) Lamps are long life lights that produce more visible light per unit of electric power consumed than both fluorescent and incandescent lamps. This is because a greater proportion of the radiation produced is visible light and not heat, thus providing higher candle power but with lower current draw. HID Lamps emit a white light that is close to natural light and is easier on operators' eyes than other sources of light.



### SQUARE HID WORK LAMPS (WITH INTERNAL BALLAST)



\*726022 / \*726023

- 9-32 Volts (3.25A @ 12V, 1.45A @ 24V) • Black Nylon Housing • Glass Lens
- Inside Ballasts • HID Xenon Bulb • Stainless Steel Mounting Hardware
- Lamp Dimensions: 5½" W x 6¾" H x 5¾" D • Stud Size: 10mm

Part No.	Light Pattern	Wattage	Candle Power	Light Penetration	Approx. Life†	Qty/Pkg
*726022	Flood	35	75,000	300 ft	2500 hours	1 PC
*726023	Spot	35	190,000	500 ft	2500 hours	1 PC

† AS TESTED IN LABORATORY



### ROUND HID WORK LAMP (WITH INTERNAL BALLAST)



\*726021

- 9-32 Volts (3.12A @ 12V, 1.88A @ 24V) • Black Nylon Housing • Glass Lens
  - Inside Ballast • HID Xenon Bulb • Stainless Steel Mounting Hardware
  - Lamp Dimensions: 8¾" W x 8½" H x 6½" D • Stud Size: ¾"
- Note:** Flood beam pattern with spot beam-like penetration

Part No.	Light Pattern	Wattage	Candle Power	Light Penetration	Approx. Life†	Qty/Pkg
*726021	Flood/Spot	35	200,000	1,300 ft	2500 hours	1 PC

† AS TESTED IN LABORATORY





# HID Work Lamps

## RECTANGULAR HID WORK LAMPS (WITH EXTERNAL BALLAST)



These housings are manufactured from high impact synthetic rubber-like resin. They feel and have the shock absorbing characteristics of rubber. This material is UV resistant (where the colour will not fade or crack) and will withstand road contaminants that normally deteriorates rubber housings. Zinc plated steel mounting hardware.

### LAMP ASSEMBLY: HID SEALED BEAM, HOUSING, BALLAST, WIRING, MOUNTING BRACKET

• Dimensions: 7½" W x 6" H x 5" D • ½" Stud Size

Part No.	Voltage	Light Pattern	Wattage	Candle Power	Amperage	Approx. Life†	Qty/Pkg
*726015	12V	Flood	35	60,000	3	2500 hours	1 KIT
*726016	12V	Spot	35	200,000	3	2500 hours	1 KIT
*726019	24V	Flood	35	60,000	2	2500 hours	1 KIT
*726020	24V	Spot	35	200,000	2	2500 hours	1 KIT

† AS TESTED IN LABORATORY



\*726015 / \*726019

### REPLACEMENT PARTS FOR RECTANGULAR HID WORK LAMPS WITH EXTERNAL BALLAST

Part No.	Description	Qty/Pkg
*735430	Replacement HID Sealed Beam (Flood Pattern), complete with wiring accessories	1 PC
*735431	Replacement HID Sealed Beam (Spot Pattern), complete with wiring accessories	1 PC
*764104	12V Ballast, mounting bracket & wiring accessories	1 SET
*764105	24V Ballast, mounting bracket & wiring accessories	1 SET



\*726016 / \*726020

## HID SEARCH LAMPS (REMOTE CONTROL OPERATED)



- 12-24 Volts (6.00A @ 12V) • Nylon Housing • Glass Lens • Internal Ballasts
- HID Xenon Bulb • Permanent or Portable Mounting Options
- 9' cord with a 12V Adapter Plug
- Remote Control Included (Working Range: 200ft)
- IP67 Waterproof rating

Dimensions: Lamp: 7½" L x 9" H x 8" D  
 Mounting Base: 7" x 8"  
 Mounting Holes: 4 Holes @ 3<sup>27</sup>/<sub>32</sub>" x 3" centres  
 Search Angles: 60° Up, 60° Down, 360° Rotation

Part No.	Housing Colour	Light Pattern	Wattage	Candle Power	Light Penetration	Approx. Life†	Qty/Pkg
*723535	Black	Flood	55	230,000	1,600ft	2500 hours	1 KIT
*723536	White	Flood	55	230,000	1,600ft	2500 hours	1 KIT

† AS TESTED IN LABORATORY

### ACCESSORIES FOR HID SEARCH LAMPS

Part No.	Description	Qty/Pkg
*729005	(Optional) Protective Cover/Shield for Lens on <b>723535</b>	1 PC
*729006	(Optional) Protective Cover/Shield for Lens on <b>723536</b>	1 PC



\*723535



\*723536



Protective Cover/Shield

# Tractor/Utility Lamps

## PAR 36 (4½" ROUND) TRACTOR/UTILITY LAMPS – RUBBER HOUSING

TECHSPAN® Par 36 housings are manufactured with synthetic resins. They have the feel and shock absorbing characteristics of rubber. This material is UV resistant which guarantees the colour will not fade or crack, and will withstand against road contaminants that normally deteriorate rubber housings. Mounting hardware is Zinc plated steel.



725039

726530

\*725035



\*725037

725042



725058

725041



725043

725034

Side View



\*725048\*

\*725052

### TRACTOR/UTILITY LAMP ASSEMBLIES IN RUBBER HOUSINGS – NO SWITCH

• Dimensions: 4⅞" Dia. x 5⅞" H x 3" D • ⅝" Stud Size

Part No.	Voltage	Sealed Beam or Bulb#	Light Pattern	Wattage	Candle Power	Qty/Pkg
725039	12V	4411	Trapezoid/Work	35W	3,000	1 PC
*NEW 725039B	12V	4411	Trapezoid/Work	35W	3,000	10 PCS
726530	12V	4415A	Fog (Amber)	35W	7,000	1 PC
*NEW 725035	12V	4416	Spot	30W	35,000	1 PC
*NEW 725037	12V	4509	Spot	100W	110,000	1 PC
725042	12V	H7606	Flood (Halogen)	50W	1,000	1 PC
725058	12V	H7610	Trapezoid/Work (Halogen)	50W	5,200	1 PC
725041	12V	H3	Work (Halogen)	55W	–	1 PC
725043	24V	4589	Flood	50W	5,000	1 PC
*NEW 725034	24V	H3	Work (Halogen)	70W	–	1 PC

### REPLACEMENT PARTS FOR PAR 36 (4½" ROUND) TRACTOR/UTILITY LAMP ASSEMBLIES – RUBBER HOUSING

Part No.*	Description	Qty/Pkg
735110	Sealed Beam # 4411	1 PC
735248	Sealed Beam # 4415A	1 PC
*NEW 735112	Sealed Beam # 4416	1 PC
*NEW 735107	Sealed Beam # 4509	1 PC
735252	Sealed Beam # 4589 (24V)	1 PC
735255	Sealed Beam # H7606	1 PC
735344	Sealed Beam # H7610	1 PC
735356	Sealed Beam/H3 Halogen (Bulb & Lens) Assembly (12V)	1 PC
*NEW 735352	Sealed Beam/H3 Halogen (Bulb & Lens) Assembly (24V)	1 PC
725045	4½" Round (Rubber) Housing Only – Slide Connectors/ Quick Disconnects	1 PC
*NEW 725045B	4½" Round (Rubber) Housing Only – Slide Connectors/ Quick Disconnects	10 PCS

\*MORE "PAR 36" SEALED BEAMS ARE FOUND ON PAGE 108.

### ACCESSORIES

729003	Adjustable Mounting Bracket for Tractor/Utility Lamps that have a maximum stud size of ½" (12.7mm) diameter. Ratchet-type hinge permits vertical light adjustment. Made of heavy-gauge steel with a black enamel finish.	1 PC
*NEW 729003B	Same as 729003 except 25 pcs/box	25 PCS

### MAGNETIC BASE TRACTOR/UTILITY LAMP ASSEMBLIES IN RUBBER HOUSINGS & 12V ADAPTER PLUG – NO SWITCH

• 13' cord • Dimensions: 4⅞" Dia. x 6⅜" H x 3" D • ⅝" Stud Size

Part No.	Sealed Beam or Bulb#	Voltage	Light Pattern	Wattage	Candle Power	Qty/Pkg
*NEW 725048	4411	12V	Trapezoid/Work	35W	3,000	1 PC
*NEW 725052	4416	12V	Spot	30W	35,000	1 PC

### REPLACEMENT PARTS FOR PAR 36 (4½" ROUND) MAGNETIC BASE TRACTOR/UTILITY LAMP ASSEMBLIES – RUBBER HOUSING

Part No.*	Description	Qty/Pkg
735110	Sealed Beam # 4411	1 PC
*NEW 735112	Sealed Beam # 4416	1 PC
*NEW 739007	Magnet 3" x 3" Square with Scratch-Resistant Covering	1 PC

\*MORE "PAR 36" SEALED BEAMS ARE FOUND ON PAGE 108.

## Tractor/Utility Lamps

### PAR 36 (4½" ROUND) TRACTOR/UTILITY LAMPS – BLACK STEEL HOUSING

TECHSPAN® black steel lamp housings are finished with a powder coated enamel for long life. They are available with or without a switch. Mounting hardware is Zinc plated steel.

#### TRACTOR/UTILITY LAMP ASSEMBLIES IN BLACK STEEL HOUSINGS – NO SWITCH

• Dimensions: 4¾" Dia. x 6" H x 2½" D • ⅝" Stud Size

Part No.	Voltage	Sealed Beam or Bulb#	Light Pattern	Wattage	Candle Power	Qty/Pkg
<b>725022</b>	12V	4411	Trapezoid/Work	35W	3,000	1 PC
<b>*NEW 725022B</b>	12V	4411	Trapezoid/Work	35W	3,000	10 PCS
<b>*NEW 725027</b>	12V	4415A	Fog (Amber)	35W	9,000	1 PC
<b>*NEW 725028</b>	12V	4416	Spot	30W	35,000	1 PC
<b>*NEW 725029</b>	12V	4509	Spot	100W	110,000	1 PC
<b>*NEW 725026</b>	12V	H7606	Flood (Halogen)	50W	1,000	1 PC
<b>725056</b>	12V	H7610	Trapezoid/Work (Halogen)	50W	5,200	1 PC
<b>*NEW 725016</b>	12V	H3	Work (Halogen)	55W	–	1 PC
<b>725024</b>	24V	4589	Flood	50W	5,000	1 PC
<b>*NEW 725017</b>	24V	H3	Work (Halogen)	70W	–	1 PC



725022

\*725027

\*725028



\*725029

\*725026



725056

\*725016

725024

#### TRACTOR/UTILITY LAMP ASSEMBLIES IN BLACK STEEL HOUSINGS – WITH SWITCH

• Dimensions: 4¾" Dia. x 6" H x 2½" D • ⅝" Stud Size

Part No.	Voltage	Sealed Beam or Bulb#	Light Pattern	Wattage	Candle Power	Qty/Pkg
<b>726540</b>	12V	4411	Trapezoid/Work	35W	3,000	1 PC
<b>*NEW 725020</b>	12V	H3	Work (Halogen)	55W	–	1 PC
<b>*NEW 725023</b>	24V	H3	Work (Halogen)	70W	–	1 PC



\*725017

726540



\*725020

\*725023

#### REPLACEMENT PARTS FOR PAR 36 (4½" ROUND) TRACTOR/UTILITY LAMP ASSEMBLIES – BLACK STEEL HOUSING

Part No.*	Description	Qty/Pkg
<b>735110</b>	Sealed Beam # 4411	1 PC
<b>735248</b>	Sealed Beam # 4415A	1 PC
<b>*NEW 735112</b>	Sealed Beam # 4416	1 PC
<b>*NEW 735107</b>	Sealed Beam # 4509	1 PC
<b>735252</b>	Sealed Beam # 4589 (24V)	1 PC
<b>735255</b>	Sealed Beam # H7606	1 PC
<b>735344</b>	Sealed Beam # H7610	1 PC
<b>735356</b>	Sealed Beam/H3 Halogen (Bulb & Lens) Assembly (12V)	1 PC
<b>*NEW 735352</b>	Sealed Beam/H3 Halogen (Bulb & Lens) Assembly (24V)	1 PC
<b>725032</b>	4½" Round Black Steel Housing Only – Fork Terminals	1 PC
<b>726546</b>	4½" Round Black Steel Housing Only (with Switch) – Fork Terminals	1 PC

\*MORE "PAR 36" SEALED BEAMS ARE FOUND ON PAGE 108.

#### ACCESSORIES

Part No.	Description	Qty/Pkg
<b>729003</b>	Adjustable Mounting Bracket for Tractor/Utility Lamps that have a maximum stud size of ⅝" (12.7mm) diameter. Ratchet-type hinge permits vertical light adjustment. Made of heavy-gauge steel with a black enamel finish.	1 PC
<b>*NEW 729003B</b>	Same as 729003 except 25 pcs/box	25 PCS



Side View – No Switch

Side View – With Switch



# Tractor/Utility Lamps

## PAR 36 (4½" ROUND) TRACTOR/UTILITY LAMPS – CHROME PLATED STEEL HOUSING

TECHSPAN also has lamp housings that are made of chrome plated steel. They are available with or without a switch. Mounting hardware is Zinc plated steel.



### TRACTOR/UTILITY LAMP ASSEMBLIES IN CHROME STEEL HOUSINGS – NO SWITCH

• Dimensions: 4¾" Dia. x 6" H x 2½" D • ⅝" Stud Size

Part No.	Voltage	Sealed Beam or Bulb#	Light Pattern	Wattage	Candle Power	Qty/Pkg
726503	12V	4411	Trapezoid/Work	35W	3,000	1 PC
<i>*NEW</i> 726503B	12V	4411	Trapezoid/Work	35W	3,000	10 PCS
726504	12V	4415A	Fog (Amber)	35W	9,000	1 PC
<i>*NEW</i> 726508	12V	4416	Spot	30W	35,000	1 PC
<i>*NEW</i> 726509	12V	4509	Spot	100W	110,000	1 PC
<i>*NEW</i> 726505	12V	H7606	Flood (Halogen)	50W	1,000	1 PC
<i>*NEW</i> 726510	12V	H7610	Trapezoid/Work (Halogen)	50W	5,200	1 PC
<i>*NEW</i> 726513	12V	H3	Work (Halogen)	55W	–	1 PC
<i>*NEW</i> 726511	24V	4589	Flood	50W	5,000	1 PC
<i>*NEW</i> 726514	24V	H3	Work (Halogen)	70W	–	1 PC



### TRACTOR/UTILITY LAMP ASSEMBLIES IN CHROME STEEL HOUSINGS – WITH SWITCH

• Dimensions: 4¾" Dia. x 6" H x 2½" D • ⅝" Stud Size

Part No.	Voltage	Sealed Beam or Bulb#	Light Pattern	Wattage	Candle Power	Qty/Pkg
726501	12V	4411	Trapezoid/Work	35W	3,000	1 PC
<i>*NEW</i> 726515	12V	H3	Work (Halogen)	55W	–	1 PC
<i>*NEW</i> 726516	24V	H3	Work (Halogen)	70W	–	1 PC



### REPLACEMENT PARTS FOR PAR 36 (4½" ROUND) TRACTOR/UTILITY LAMP ASSEMBLIES – CHROME STEEL HOUSING

Part No.*	Description	Qty/Pkg
735110	Sealed Beam # 4411	1 PC
735248	Sealed Beam # 4415A	1 PC
<i>*NEW</i> 735112	Sealed Beam # 4416	1 PC
<i>*NEW</i> 735107	Sealed Beam # 4509	1 PC
735252	Sealed Beam # 4589 (24V)	1 PC
735255	Sealed Beam # H7606	1 PC
735344	Sealed Beam # H7610	1 PC
735356	Sealed Beam/H3 Halogen (Bulb & Lens) Assembly (12V)	1 PC
<i>*NEW</i> 735352	Sealed Beam/H3 Halogen (Bulb & Lens) Assembly (24V)	1 PC
726506	4½" Round Chrome Steel Housing Only – Fork Terminals	1 PC
726507	4½" Round Chrome Steel Housing Only (with Switch) – Fork Terminals	1 PC

\*MORE "PAR 36" SEALED BEAMS ARE FOUND ON PAGE 108.

Side View – No Switch

Side View – With Switch



729003

### ACCESSORIES

Part No.	Description	Qty/Pkg
729003	Adjustable Mounting Bracket for Tractor/Utility Lamps that have a maximum stud size of ⅝" (12.7mm) diameter. Ratchet-type hinge permits vertical light adjustment. Made of heavy-gauge steel with a black enamel finish.	1 PC
<i>*NEW</i> 729003B	Same as 729003 except 25 pcs/box	25 PCS

## Tractor/Utility Lamps

### 3½" ROUND TRACTOR/UTILITY LAMPS

- Chrome plated steel housing • Universal steel plated bracket is adjustable
- Dimensions: 3½" Dia. x 4½" H x 2½" D • 8mm Stud Size

Part No.	Bulb#	Voltage	Light Pattern	Lens	Wattage	Qty/Pkg
<b>*NEW</b> *726010	H3	12V	Spot	Clear	55W	1 PC

#### REPLACEMENT PARTS FOR 3½" ROUND TRACTOR/UTILITY LAMPS

Part No.*	Description	Qty/Pkg
735153	Replacement H3 Halogen Bulb (12V, 55W)	1 PC



\*726010



### SQUARE TRACTOR/UTILITY LAMPS

- Polymer Housing • Universal steel plated bracket is adjustable
- Dimensions: 4½" L x 3¾" H x 3 ¾" D • ¾" Stud Size

Part No.	Voltage	Bulb#	Light Pattern	Wattage	Qty/Pkg
<b>*NEW</b> *725090	12V	H3	Flood	55W	1 PC

- ABS Housing • Universal steel plated bracket is adjustable
- Dimensions: 4½" L x 5" H x 3 ⅜" D • 10mm Stud Size

Part No.	Voltage	Bulb#	Light Pattern	Wattage	Qty/Pkg
<b>*NEW</b> *725097	12V	H3	Flood	55W	1 PC
<b>*NEW</b> *725098	24V	H3	Flood	70W	1 PC

- ABS Housing • Universal steel plated bracket is adjustable
- Dimensions: 4 ⅞" L x 5" H x 2 ⅞" D • 10mm Stud Size

Part No.	Voltage	Bulb#	Light Pattern	Wattage	Qty/Pkg
<b>*NEW</b> *725095	12V	H3	Flood	55W	1 PC
<b>*NEW</b> *725096	24V	H3	Flood	70W	1 PC

#### REPLACEMENT PARTS FOR SQUARE TRACTOR/UTILITY LAMPS

Part No.	Description	Qty/Pkg
735153	Replacement H3 Halogen Bulb (12V, 55W)	1 PC
735358	Replacement H3 Halogen Bulb (24V, 70W)	1 PC



\*725090



Side View



\*725097 / \*725098



Side View



\*725095 / \*725096



Side View

#### ACCESSORIES

Part No.	Description	Qty/Pkg
729003	Adjustable Mounting Bracket for Tractor/Utility Lamps that have a maximum stud size of ½" (12.7mm) diameter. Ratchet-type hinge permits vertical light adjustment. Made of heavy-gauge steel with a black enamel finish.	1 PC
<b>*NEW</b> *729003B	Same as 729003 except 25 pcs/box	25 PCS



729003



# Tractor/Utility Lamps

## PAR 46 (6" ROUND) TRACTOR/UTILITY LAMPS – RUBBER HOUSING

TECHSPAN® Par 46 housings are manufactured with synthetic resins. They have the feel and shock absorbing characteristics of rubber. This material is UV resistant which guarantees the colour will not fade or crack, and will withstand against road contaminants that normally deteriorate rubber housings. Mounting hardware is Zinc plated steel.



725040



726532



725047



\*725100



\*725101



\*725099



725059



725044



Side View

### TRACTOR/UTILITY LAMP ASSEMBLIES IN RUBBER HOUSINGS – NO SWITCH

• Dimensions: 6" Dia. x 7¼"H x 3⅞"D • ½" Stud Size

Part No.	Voltage	Sealed Beam or Bulb#	Light Pattern	Wattage	Candle Power	Qty/Pkg
725040	12V	4413	Trapezoid/Work	35	1,100	1 PC
*NEW 725040B	12V	4413	Trapezoid/Work	35	1,100	10 PCS
726532	12V	4412A	Fog (Amber)	35	8,800	1 PC
725047	12V	4419	Trapezoid/Work	35	1,600	1 PC
*NEW 725100	12V	4419 (Amber)	Work (Amber)	35	–	1 PC
*NEW 725100B	12V	4419 (Amber)	Work (Amber)	35	–	10 PCS
*NEW 725101	12V	4419 (Blue)	Work (Blue)	35	–	1 PC
*NEW 725101B	12V	4419 (Blue)	Work (Blue)	35	–	10 PCS
*NEW 725099	12V	4419 (Red)	Work (Red)	35	–	1 PC
*NEW 725099B	12V	4419 (Red)	Work (Red)	35	–	10 PCS
725059	12V	H7609	Flood (Halogen)	50	2,200	1 PC
725044	24V	4570	Work	150	32,000	1 PC
*NEW 725044B	24V	4570	Work	150	32,000	10 PCS

### REPLACEMENT PARTS FOR PAR 46 (6" ROUND) TRACTOR/UTILITY LAMP ASSEMBLIES – RUBBER HOUSING

Part No.*	Description	Qty/Pkg
735113	Sealed Beam # 4413	1 PC
735246	Sealed Beam # 4412A	1 PC
735360	Sealed Beam # 4419	1 PC
*NEW 735366	Sealed Beam # 4419 (Amber)	1 PC
*NEW 735367	Sealed Beam # 4419 (Blue)	1 PC
*NEW 735365	Sealed Beam # 4419 (Red)	1 PC
735362	Sealed Beam # 4570	1 PC
735157	Sealed Beam # H7609	1 PC
725046	6" Round (Rubber) Housing Only – Fork Terminals	1 PC
*NEW 725046B	6" Round (Rubber) Housing Only – Fork Terminals	10 PCS

\*MORE "PAR 46" SEALED BEAMS ARE FOUND ON PAGE 109.

### ACCESSORIES

Part No.	Description	Qty/Pkg
729003	Adjustable Mounting Bracket for Tractor/Utility Lamps that have a maximum stud size of ½" (12.7mm) diameter. Ratchet-type hinge permits vertical light adjustment. Made of heavy-gauge steel with a black enamel finish.	1 PC
*NEW 729003B	Same as 729003 except 25 pcs/box	25 PCS

# Tractor/Utility Lamps

## PAR 46 (6" ROUND) TRACTOR/UTILITY LAMPS – STEEL HOUSINGS

TECHSPAN® Par 46 steel lamp housings are finished with a powder coated enamel for long life in **Black, Blue** or **Gray**. Techspan also offers **Chrome-Plated** steel housings. Mounting hardware is Zinc plated steel. **Dimensions:** 6" Diameter x 6¾"H x 4"D. ½" Stud Size.

### TRACTOR/UTILITY LAMP ASSEMBLIES IN BLACK STEEL HOUSINGS – NO SWITCH

Part No.	Voltage	Sealed Beam or Bulb#	Light Pattern	Wattage	Candle Power	Qty/Pkg
<b>725018</b>	12V	4413	Trapezoid/Work	35	1,100	1 PC
<b>726512</b>	12V	4412A	Fog (Amber)	35	8,800	1 PC
<b>725019</b>	12V	4419	Trapezoid/Work	35	1,600	1 PC
<b>723546</b>	12V	4537-2	Spot	100	200,000	1 PC
<b>725057</b>	12V	H7609	Flood (Halogen)	50	2,200	1 PC
<b>725021</b>	24V	4570	Work	150	32,000	1 PC



725018



726512

### TRACTOR/UTILITY LAMP ASSEMBLIES IN CHROME STEEL HOUSINGS – NO SWITCH

Part No.	Voltage	Sealed Beam or Bulb#	Light Pattern	Wattage	Candle Power	Qty/Pkg
<b>726007</b>	12V	4419	Trapezoid/Work	35	1,600	1 PC
<b>*NEW 726009</b>	24V	4570	Work	150	32,000	1 PC



723546



725057

### TRACTOR/UTILITY LAMP ASSEMBLIES IN BLUE STEEL HOUSINGS – NO SWITCH

Part No.	Voltage	Sealed Beam or Bulb#	Light Pattern	Wattage	Candle Power	Qty/Pkg
<b>*NEW 726002</b>	12V	4419	Trapezoid/Work	35	1,600	1 PC
<b>*NEW 726003</b>	24V	4570	Work	150	32,000	1 PC



726007



\*726005

### TRACTOR/UTILITY LAMP ASSEMBLIES IN GREY STEEL HOUSINGS – NO SWITCH

Part No.	Voltage	Sealed Beam or Bulb#	Light Pattern	Wattage	Candle Power	Qty/Pkg
<b>*NEW 726004</b>	12V	4419	Trapezoid/Work	35	1,600	1 PC
<b>*NEW 726005</b>	24V	4570	Work	150	32,000	1 PC

### REPLACEMENT PARTS FOR PAR 46 (6" ROUND) TRACTOR/UTILITY LAMP ASSEMBLIES – STEEL HOUSINGS

Part No.*	Description	Qty/Pkg
<b>735113</b>	Sealed Beam # 4413	1 PC
<b>735246</b>	Sealed Beam # 4412A	1 PC
<b>735360</b>	Sealed Beam # 4419	1 PC
<b>735361</b>	Sealed Beam #4537-2	1 PC
<b>735362</b>	Sealed Beam # 4570	1 PC
<b>735157</b>	Sealed Beam # H7609	1 PC
<b>725033</b>	6" Round Black Steel Housing Only – Fork Terminals	1 PC
<b>726012</b>	6" Round Chrome Steel Housing Only – Fork Terminals	1 PC
<b>*NEW 726000</b>	6" Round Blue Steel Housing Only – Fork Terminals	1 PC
<b>*NEW 726001</b>	6" Round Grey Steel Housing Only – Fork Terminals	1 PC

\*MORE "PAR 46" SEALED BEAMS ARE FOUND ON PAGE 109.



Side View Black



Side View Chrome



Side View Blue



Side View Grey

### ACCESSORIES

Part No.	Description	Qty/Pkg
<b>729003</b>	Adjustable Mounting Bracket for Tractor/Utility Lamps that have a maximum stud size of ½" (12.7mm) diameter. Ratchet-type hinge permits vertical light adjustment. Made of heavy-gauge steel with a black enamel finish.	1 PC
<b>*NEW 729003B</b>	Same as <b>729003</b> except 25 pcs/box	25 PCS



729003

# Tractor/Utility Lamps


## FORWARD (AUXILIARY) LIGHTING KITS

TECHSPAN®'s compact rectangular Forward Lighting Kits are designed to easily fit the tighter spaces found on many of today's vehicles. The lamps found in these kits are made with lightweight polymer housing and have a glass lens. Each kit comes complete with 2 lamps, H3 Halogen Bulbs (12V 55W), illuminated rocker switch, relay and all necessary wiring along with easy to follow instructions.



626008

Part No.		Qty/Pkg
626008	Clear Driving Lamp Kit	1 Kit
626536	Clear Fog Lamp Kit	1 Kit



## RECTANGULAR 3" X 5" TRACTOR/UTILITY LAMPS

These lamps contain a highly polished reflector, manufactured using high heat and vacuum formation. The lamp housing is a durable and rugged nylon composition. The steel plated mounting bracket is fully adjustable for any suitable location.



725065 / \*725084

725066 / \*725085

725064 / \*725083

Side View

- Dimensions: 7" W x 5" H x 3" D • 10mm Stud Size

Part No.	Voltage	Bulb#	Light Pattern	Wattage	Qty/Pkg
725065	12V	H3	Flood	55W	1 PC
*NEW 725065B	12V	H3	Flood	55W	10 PCS
725066	12V	H3	Spot	55W	1 PC
*NEW 725066B	12V	H3	Spot	55W	10 PCS
725064	12V	H3	Trapezoid	55W	1 PC
*NEW 725064B	12V	H3	Trapezoid	55W	10 PCS
*NEW 725084	24V	H3	Flood	70W	1 PC
*NEW 725085	24V	H3	Spot	70W	1 PC
*NEW 725083	24V	H3	Trapezoid	70W	1 PC

### REPLACEMENT PARTS FOR 3" x 5" TRACTOR/UTILITY LAMPS

Part No.	Description	Qty/Pkg
731065	Replacement Lens (Flood Pattern) for 725065 & 725084	1 PC
731066	Replacement Lens (Spot Pattern) for 725066 & 725085	1 PC
731064	Replacement Lens (Trapezoid Pattern) for 725064 & 725083	1 PC
735153	Replacement H3 Halogen Bulb (12V, 55W)	1 PC
735358	Replacement H3 Halogen Bulb (24V, 70W)	1 PC



729003

### ACCESSORIES

Part No.	Description	Qty/Pkg
729003	Adjustable Mounting Bracket for Tractor/Utility Lamps that have a maximum stud size of 1/2" (12.7mm) diameter. Ratchet-type hinge permits vertical light adjustment. Made of heavy-gauge steel with a black enamel finish.	1 PC
*NEW 729003B	Same as 729003 except 25 pcs/box	25 PCS

## Tractor/Utility Lamps

### RECTANGULAR 4" X 6" TRACTOR/UTILITY LAMPS

These lamps contain a highly polished reflector, manufactured using high heat and vacuum formation. The lamp housing is a durable and rugged ABS composition. The steel plated mounting bracket is fully adjustable for any suitable location.

• ABS Housing • Dimensions: 6 $\frac{7}{8}$ "W x 5 $\frac{3}{8}$ "H x 3 $\frac{1}{4}$ "D • 12mm Stud Size

Part No.	Voltage	Bulb#	Light Pattern	Wattage	Qty/Pkg
<b>725061</b>	12V	H3	Flood	55W	1 PC
<b>*NEW</b> <b>725061B</b>	12V	H3	Flood	55W	10 PCS
<b>725062</b>	12V	H3	Spot	55W	1 PC
<b>*NEW</b> <b>725062B</b>	12V	H3	Spot	55W	10 PCS
<b>725060</b>	12V	H3	Trapezoid	55W	1 PC
<b>*NEW</b> <b>725060B</b>	12V	H3	Trapezoid	55W	10 PCS
<b>*NEW</b> <b>725081</b>	24V	H3	Flood	70W	1 PC
<b>*NEW</b> <b>725082</b>	24V	H3	Spot	70W	1 PC
<b>*NEW</b> <b>725080</b>	24V	H3	Trapezoid	70W	1 PC



725061 / \*725081



725062 / \*725082



725060 / \*725080



Side View

#### REPLACEMENT PARTS FOR 4" x 6" TRACTOR/UTILITY LAMPS

Part No.	Description	Qty/Pkg
<b>731061</b>	Replacement Lens (Flood Pattern) for <b>725061</b> & <b>725081</b>	1 PC
<b>731062</b>	Replacement Lens (Spot Pattern) for <b>725062</b> & <b>725082</b>	1 PC
<b>731060</b>	Replacement Lens (Trapezoid Pattern) for <b>725060</b> & <b>725080</b>	1 PC
<b>735153</b>	Replacement H3 Halogen Bulb (12V, 55W)	1 PC
<b>735358</b>	Replacement H3 Halogen Bulb (24V, 70W)	1 PC

### RECTANGULAR 4" X 6" TRACTOR/UTILITY LAMPS – 2 HALOGEN BULBS

TECHSPAN® 4" x 6" 2-Bulb Tractor/Utility Lamps are designed with high impact nylon housing for durability. These lamps contain 2 x H3 Halogen Bulbs (Bulb Replaceable) and can be operated with either one or both bulbs lighted. The powder coated steel mounting bracket is fully adjustable for any suitable location.

• Dimensions: 6 $\frac{1}{4}$ "W x 4 $\frac{3}{4}$ "H x 4 $\frac{1}{8}$ "D • 10mm Stud Size

Part No.	Voltage	Bulb#	Lens	Wattage	Qty/Pkg
<b>725074</b>	12V	2 x H3	Clear	55W	1 PC
<b>*NEW</b> <b>725074B</b>	12V	2 x H3	Clear	55W	10 PCS
<b>*NEW</b> <b>725076</b>	12V	2 x H3	Tinted Blue	55W	1 PC
<b>*NEW</b> <b>725076B</b>	12V	2 x H3	Tinted Blue	55W	10 PCS
<b>*NEW</b> <b>725078</b>	12V	2 x H3 (Bright White)	Clear	55W	1 PC
<b>*NEW</b> <b>725078B</b>	12V	2 x H3 (Bright White)	Clear	55W	10 PCS
<b>*NEW</b> <b>725075</b>	24V	2 x H3	Clear	70W	1 PC
<b>*NEW</b> <b>725075B</b>	24V	2 x H3	Clear	70W	10 PCS
<b>*NEW</b> <b>725077</b>	24V	2 x H3	Tinted Blue	70W	1 PC
<b>*NEW</b> <b>725077B</b>	24V	2 x H3	Tinted Blue	70W	10 PCS



725074 / \*725075



Side View



\*725076 / \*725077



\*725078

#### REPLACEMENT PARTS FOR 2-BULB 4" x 6" TRACTOR/UTILITY LAMPS

Part No.	Description	Qty/Pkg
<b>731063</b>	Replacement Lens (Clear) for <b>725074</b> , <b>725075</b> , <b>725078</b>	1 PC
<b>*NEW</b> <b>731059</b>	Replacement Lens (Tinted Blue) for <b>725076</b> , <b>725077</b>	1 PC
<b>735153</b>	Replacement H3 Halogen Bulb (12V, 55W)	1 PC
<b>*NEW</b> <b>735145</b>	Replacement H3 Halogen Bulb Bright White (12V, 55W)	1 PC
<b>735358</b>	Replacement H3 Halogen Bulb (24V, 70W)	1 PC

#### ACCESSORIES

<b>*NEW</b> <b>729001</b>	Cover (White)	1 PC
<b>*NEW</b> <b>729001B</b>	Same as <b>729001</b> except 10 pcs/bag	10 PCS
<b>*NEW</b> <b>729002</b>	Stone Guard	1 PC
<b>729003</b>	Adjustable Mounting Bracket for Tractor/Utility Lamps that have a maximum stud size of $\frac{1}{2}$ " (12.7mm) diameter. Ratchet-type hinge permits vertical light adjustment. Made of heavy-gauge steel with a black enamel finish.	1 PC
<b>*NEW</b> <b>729003B</b>	Same as <b>729003</b> except 25 pcs/box	25 PCS



\*729002



729003



# Tractor/Utility Lamps

## RECTANGULAR 5" X 7" TRACTOR/UTILITY LAMPS

TECHSPAN® 5" x 7" housings are manufactured with synthetic resins. They have the feel and shock absorbing characteristics of rubber. This material is UV resistant which guarantees the colour will not fade or crack, and will withstand against road contaminants that normally deteriorate rubber housings. Mounting hardware is Zinc plated steel.



725525

725526



725524

725529 / \*725528



725527 / \*725540

\*725520 / \*725519



Side View



Side View  
Swivel Mount



729003

### TRACTOR/UTILITY LAMP ASSEMBLIES IN RUBBER HOUSINGS - NO SWITCH

• Dimensions: 7 $\frac{1}{8}$ " W x 6 $\frac{3}{4}$ " H x 5 $\frac{1}{8}$ " D • 12mm Stud Size

Part No.	Voltage	Sealed Beam or Bulb#	Light Pattern	Wattage	Candle Power	Qty/Pkg
725525	12V	4651	High Beam	50W	SAE	1 PC
725526	12V	H4651	High Beam (Halogen)	50W	SAE	1 PC
725524	12V	4652	High/Low Beam	40/60W	SAE	1 PC
725529	12V	H3	Work (Halogen)	55W	-	1 PC
725527	12V	H7935	Spot (Halogen)	50W	175,000	1 PC
*NEW 725528	24V	H3	Work (Halogen)	70W	-	1 PC
*NEW 725540	24V	H7935	Spot (Halogen)	75W	175,000	1 PC

### TRACTOR/UTILITY LAMP ASSEMBLIES IN RUBBER HOUSINGS - NO SWITCH (SWIVEL POST MOUNT)

• Dimensions: 7 $\frac{1}{4}$ " W x 6" H x 3 $\frac{3}{8}$ " D • 1/2" Stud Size

Part No.	Voltage	Sealed Beam or Bulb#	Light Pattern	Wattage	Candle Power	Qty/Pkg
*NEW 725520	12V	H7935	Spot (Halogen)	50W	175,000	1 PC
*NEW 725519	24V	H7935	Spot (Halogen)	75W	175,000	1 PC

### REPLACEMENT PARTS FOR 5" x 7" TRACTOR/UTILITY LAMPS

Part No.*	Description	Qty/Pkg
735159	Sealed Beam # 4651	1 PC
735160	Sealed Beam # H4651	1 PC
735253	Sealed Beam # 4652	1 PC
735153	H3 Halogen Bulb, 12V	1 PC
735363	Sealed Beam/Halogen (Bulb & Lens) Assembly (12V)	1 PC
735358	H3 Halogen Bulb, 24V	1 PC
*NEW 735364	Sealed Beam/Halogen (Bulb & Lens) Assembly (24V)	1 PC
725530	5" x 7" Rectangular (Rubber) Housing Only – Fork Terminals	1 PC

\*MORE 5" X 7" SEALED BEAMS ARE FOUND ON PAGE 107.

### ACCESSORIES

Part No.	Description	Qty/Pkg
729003	Adjustable Mounting Bracket for Tractor/Utility Lamps that have a maximum stud size of 1/2" (12.7mm) diameter. Ratchet-type hinge permits vertical light adjustment. Made of heavy-gauge steel with a black enamel finish.	1 PC
*NEW 729003B	Same as 729003 except 25 pcs/box	25 PCS



# Sealed Beam Replacements

## 5" X 7" (165MM) SEALED BEAMS

• Sealed Beam Replacement for 5" x 7" Tractor/Utility Lamps • Dimensions: 165mm x 100mm (W x H)

Part No.	Voltage	Sealed Beam#	Light Pattern	Wattage	Candle Power	Description	Qty/Pkg
<b>735159</b>	12V	4651	High Beam	50W	SAE	2 x Flag Terminals	1 PC
<b>735160</b>	12V	H4651	High Beam (Halogen)	50W	SAE	2 x Flag Terminals	1 PC
<b>735253</b>	12V	4652	High/Low Beam	40/60W	SAE	3 x Flag Terminals	1 PC
<b>*NEW 735192</b>	12V	H4656	Low Beam (Halogen)	35W	SAE	3 x Flag Terminals	1 PC
<b>*NEW 735193</b>	12V	4921-1	Special Service	100W	25,000	Slip-On Terminals	1 PC
<b>*NEW 735194</b>	12V	H7913-HIR	Infrared Flood (Halogen)	65W	4,000	2 x Flag Terminals	1 PC
<b>*NEW 735432</b>	12V	H7935^	Flood (Halogen)	50W	10,500	Combination Screw/Slip-On Terminals	1 PC
<b>735363</b>	12V	H7935	Spot (Halogen)	50W	175,000	Combination Screw/Slip-On Terminals	1 PC
<b>*NEW 735196</b>	12V	H7935^	Spot (Halogen, Bright White)	50W	-	Combination Screw/Slip-On Terminals	1 PC
<b>*NEW 735433</b>	24V	H7935^	Flood (Halogen)	75W	17,400	Combination Screw/Slip-On Terminals	1 PC
<b>735364</b>	24V	H7935^	Spot (Halogen)	75W	175,000	Combination Screw/Slip-On Terminals	1 PC

NOTE: PRE-ASSEMBLED 5" X 7" TRACTOR/UTILITY LAMP ASSEMBLIES CONTAINING MANY OF THESE SEALED BEAMS ARE FOUND ON PAGE 106.

^ FOR SEALED BEAMS CONTAINING THIS SYMBOL ONLY, THESE AREN'T THE ACTUAL INDUSTRY SEALED BEAM #. THESE NUMBERS ARE TO BETTER DESCRIBE HOW SIMILAR THESE SEALED BEAMS ARE TO THE ACTUAL H7935.



## 5" X 7" (165MM) LED HEADLAMPS

**LED** **\*NEW**

- 12-24 Volts • Solid State Diodes
- Compliant to DOT (FMVSS108/CMVSS108)
- Die-Cast Aluminum Housing • Hardened Glass Lens
- IP67 Sealing Compliant • Fits 165mm x 100mm Bezels
- Replacement for #4651, #H4651, #4656, #H4656
- Connects to existing Sealed Beam Connections

**REPLACEMENT LED SEALED BEAMS FOR 4-BEAM SYSTEMS**

Part No.	Description	Qty/Pkg
<b>*735448</b>	LED Headlamp (High Beam). LED replacement for #4651, H4651	1 PC
<b>*735449</b>	LED Headlamp (Low Beam). LED replacement for #4656, H4656	1 PC



# Sealed Beam Replacements



## LED PAR 36 SEALED BEAMS

LED



\*735436

- LED Sealed Beam Replacements & Options for Par 36 (4½") Tractor/Utility Lamps

Part No.	Voltage	Sealed Beam#†	Light Pattern	Lumens	Diodes	Amperage	Qty/Pkg
*735436	12V	#4411	Flood	250	19	0.15A @ 12V	1 PC
*735434	12-30V	#4416	Spot	1,200	6	1.1A @ 12V	1 PC
*735435	12-30V	#4411	Trapezoid	1,200	6	1.1A @ 12V	1 PC

NOTE: PRE-ASSEMBLED LED PAR 36 TRACTOR/UTILITY LAMP ASSEMBLIES CONTAINING THESE LED SEALED BEAMS ARE FOUND ON PAGE 93.

† CLOSEST SEALED BEAM#



\*735434



\*735435



Back View –  
735434 / 735435



Side View –  
735434 / 735435



### RETROFIT YOUR PAR 36 UTILITY LAMP IN JUST 3 EASY STEPS:

- 1 Remove and disconnect the old Incandescent Sealed Beam
- 2 Connect the LED Sealed Beam of your choice to the wiring of the housing
- 3 Fully insert the LED Sealed Beam into the housing

## PAR 36 SEALED BEAMS

- Sealed Beam Replacements & Options for Par 36 (4½") Tractor/Utility Lamps
- Dimensions: 4½" Diameter

Part No.	Voltage	Sealed Beam or Bulb#	Light Pattern	Wattage	Candle Power	Description	Qty/Pkg
*NEW *735388	6V	4511	Trapezoid/Work	30W	2,300	Combination Screw/Slip-On Terminals	1 PC
735110	12V	4411	Trapezoid/Work	35W	3,000	Combination Screw/Slip-On Terminals	1 PC
*NEW *735389	12V	4411B	Flood (Bright White)	35W	3,000	Combination Screw/Slip-On Terminals	1 PC
*NEW *735390	12V	4415	Fog	35W	9,000	Combination Screw/Slip-On Terminals	1 PC
735248	12V	4415A	Fog (Amber)	35W	7,000	Screw Terminals	1 PC
*NEW *735112	12V	4416	Spot	30W	35,000	Combination Screw/Slip-On Terminals	1 PC
*NEW *735107	12V	4509	Spot	100W	10,000	Combination Screw/Slip-On Terminals	1 PC
735181	12V	7400	Spot	35W	33,000	Slip-On Terminals	1 PC
735255	12V	H7606	Flood (Halogen)	50W	1,000	Screw Terminals	1 PC
735344	12V	H7610	Trapezoid/Work (Halogen)	50W	5,200	Combination Screw/Slip-On Terminals	1 PC
735356	12V	H3	Work (Halogen)	55W	–	H3 Bulb & Lens Assembly	1 PC
735252	24V	4589	Trapezoid/Work	50W	5,000	Combination Screw/Slip-On Terminals	1 PC
*NEW *735352	24V	H3	Work (Halogen)	70W	–	H3 Bulb & Lens Assembly	1 PC

NOTE: PRE-ASSEMBLED PAR 36 TRACTOR/UTILITY LAMP ASSEMBLIES CONTAINING MANY OF THESE SEALED BEAMS ARE FOUND ON PAGES 98-100.



\*735388



735110



Side View



\*735389



\*735390



735248



\*735112



\*735107



735181



735255



735344



735356



735252



\*735352

# Sealed Beam Replacements

## PAR 46 SEALED BEAMS

• Sealed Beam Replacements & Options for Par 46 (6") Tractor/Utility Lamps • Dimensions: 5¾" Diameter

Part No.	Voltage	Sealed Beam or Bulb#	Light Pattern	Wattage	Candle Power	Description	Qty/Pkg
<b>*NEW</b> *735228	6V	4019	Trapezoid/Work	30W	1,200	Combination Screw/Slip-On Terminals	1 PC
<b>*NEW</b> *735259	12V	4412	Fog	35W	11,000	Combination Screw/Slip-On Terminals	1 PC
<b>735246</b>	12V	4412A	Fog (Amber)	35W	8,800	Screw Terminals	1 PC
<b>735113</b>	12V	4413	Trapezoid/Work	35W	1,100	Combination Screw/Slip-On Terminals	1 PC
<b>735360</b>	12V	4419	Trapezoid/Work	35W	1,600	Combination Screw/Slip-On Terminals	1 PC
<b>*NEW</b> *735366	12V	4419A	Work (Amber)	35W	–	Combination Screw/Slip-On Terminals	1 PC
<b>*NEW</b> *735367	12V	4419B	Work (Blue)	35W	–	Combination Screw/Slip-On Terminals	1 PC
<b>*NEW</b> *735365	12V	4419R	Work (Red)	35W	–	Combination Screw/Slip-On Terminals	1 PC
<b>735361</b>	12V	4537-2	Spot	100W	200,000	Combination Screw/Slip-On Terminals	1 PC
<b>*NEW</b> *735234	12V	4636-3	Work	80W	90,000	Combination Screw/Slip-On Terminals	1 PC
<b>735157</b>	12V	H7609	Flood (Halogen)	50W	2,200	Screw Terminals	1 PC
<b>*NEW</b> *735280	12V	H7635	Spot (Halogen)	50W	160,000	Screw Terminals	1 PC
<b>*NEW</b> *735195	12V	H7680-HIR	Infrared Spot (Halogen)	80W	275,000	Screw Terminals	1 PC
<b>735362</b>	24V	4570	Work	150W	32,000	Combination Screw/Slip-On Terminals	1 PC
<b>*NEW</b> *735231	24V	4578	Work	60W	1,600	2 x Flag Terminals	1 PC

NOTE: PRE-ASSEMBLED PAR 46 TRACTOR/UTILITY LAMP ASSEMBLIES CONTAINING MANY OF THESE SEALED BEAMS ARE FOUND ON PAGES 102-103.



## HALOGEN SEALED BEAMS & HEADLAMPS (MISCELLANEOUS)



Part No.	Voltage	Sealed Beam or Bulb#	Light Pattern	Wattage	Candle Power	Description	Qty/Pkg
<b>*735392</b>	12V	H6024	Headlamp (Halogen)	35/65W	SAE	PAR 56 (7" Diameter) 3 x Flag Terminals	1 PC
<b>*735368</b>	12V	H6054	Headlamp (Halogen)	35/65W	SAE	200mm x 142mm 3 x Flag Terminals	1 PC
<b>*735369</b>	12V	H9421	Special Service (Halogen)	50W	4,000	150mm x 92mm 2 x Flag Terminals 90°	1 PC



# Bulb Replacements



**LED**

**\*NEW**

## LED BULB REPLACEMENTS



### SINGLE CONTACT

Part No.	Voltage	Description	Colour	Diodes	Amperage	Qty/Pkg
*735399	12V	Fits 1156 Bases (Single Contact)	Amber	13	0.20A	1 PC
*735396	12V	Fits 1156 Bases (Single Contact)	White	13	0.22A	1 PC
*735394	12V	Fits 3156 Bases (Single Contact)	Amber	13	0.19A	1 PC
*735438	12V	Fits 3156 Bases (Single Contact)	White	13	0.16A	1 PC

### DOUBLE CONTACT

Part No.	Voltage	Description	Colour	Diodes	Amperage	Qty/Pkg
*735397	12V	Fits 1157 Bases (Double Contact)	Amber	13	0.22A	1 PC
*735398	12V	Fits 1157 Bases (Double Contact)	Red	13	0.04/0.22A	1 PC
*735437	12V	Fits 1157 Bases (Double Contact)	White	13	0.06/0.18A	1 PC
*735395	12V	Fits 3157 Bases (Double Contact)	Red	13	0.04/0.20A	1 PC
*735439	12V	Fits 3157 Bases (Double Contact)	White	13	0.06/0.20A	1 PC



**\*NEW**

## AUTOMOTIVE BULBS



### SINGLE CONTACT

Part No.	Voltage	Bulb#	CP	Amperage	Qty/Pkg
*735100	12V	#57	2	0.24A	10 PCS
*735101	12V	#67	4	0.59A	10 PCS
*735111	12V	#89	6	0.58A	10 PCS
*735103	12V	#168	3	0.35A	10 PCS
*735104	12V	#194	2	0.27A	10 PCS
*735443	12V	#194A (Amber)	1.5	0.27A	10 PCS
735182	12V	#795 (Halogen)	108	3.91A	1 PC
*735114	12V	#912	12	1.00A	10 PCS
*735115	12V	#921	21	1.40A	10 PCS
*735118	12V	#1003	15	0.94A	10 PCS
*735119	12V	#1141	21	1.60A	10 PCS
*735120	12V	#1156	32	2.10A	10 PCS
*735446	12V	#1156A (Amber)	24	2.10A	10 PCS
*735183	12V	#1295	37	3.00A	1 PC
*735133	12V	#1893	2	0.33A	10 PCS
*735134	12V	#1895	2	0.27A	10 PCS
*735137	12V	#3156	32	2.10A	10 PCS
*735142	12V	#7440	37	1.85A	10 PCS
*735123	24V	#1309	15	0.52A	10 PCS

### DOUBLE CONTACT

Part No.	Voltage	Bulb#	CP	Amperage	Qty/Pkg
*735121	12V	#1157	3 / 32	2.10A	10 PCS
*735447	12V	#1157A (Amber)	2.2 / 24	0.59/2.10A	10 PCS
*735135	12V	#2057	2 / 32	2.10A	10 PCS
*735136	12V	#3057	2 / 32	2.10A	10 PCS
*735138	12V	#3157	3 / 32	2.10A	10 PCS
*735139	12V	#3157NA	2.2 / 24	2.10A	10 PCS
*735140	12V	#4157K	3 / 32	2.23A	10 PCS
*735141	12V	#4157NAK	2.2 / 24	2.23A	10 PCS
*735143	12V	#7443	3 / 35	1.85A	10 PCS



# Bulb Replacements

## HALOGEN BULBS

### SINGLE CONTACT

Part No.	Voltage	Description	Wattage	Amperage	Qty/Pkg
<b>*NEW</b> 735440	12V	H1	55W	4.70A	1 PC
735357	12V	H3	100W	6.97A	1 PC
735153	12V	H3	55W	4.58A	1 PC
<b>*NEW</b> 735145	12V	H3 (Bright White)	55W	4.58A	1 PC
735343	12V	H4	55W	5.38A	1 PC
<b>*NEW</b> 735441	12V	H7	55W	4.29A	1 PC
<b>*NEW</b> 735442	12V	H11	55W	4.17A	1 PC
735359	24V	H3	100W	3.50A	1 PC
735358	24V	H3	70W	2.68A	1 PC
735182	12V	T-4/#795	50W	3.91A	1 PC



## HEADLAMP BULBS (HALOGEN)

### SINGLE CONTACT

Part No.	Voltage	Bulb#	Description	Wattage	Qty/Pkg
<b>*735147</b>	12V	#9005	High Beam	65W	1 PC
<b>*735146</b>	12V	#9006	Low Beam	55W	1 PC

### DOUBLE CONTACT

Part No.	Voltage	Bulb#	Description	Wattage	Qty/Pkg
<b>*735144</b>	12V	#9003	High/Low Beam	60/55W	1 PC
<b>*735150</b>	12V	#9004	High/Low Beam	65/45W	1 PC
<b>*735165</b>	12V	#9007	High/Low Beam	65/55W	1 PC



**A WIDE SELECTION OF PIGTAILS AND SOCKETS CAN BE FOUND IN OUR WIRE, CABLE & ELECTRICAL ACCESSORIES CATALOGUE.**

- Check out our website ([www.techspan.ca](http://www.techspan.ca)) for more than 20,000 cross referenced part numbers
- Contact us at 1 800 363 1588 for product information, catalogues, or the name of a stocking distributor near you

